

ARCHITECTURAL SERIES TUBS



Rear Entrance - DL-DWT-REN-ARC
Right Side Plumbing - DL-DWT-FEN-ARC
Left Side Plumbing - DL-DWT-PLM-ARC

The Cool Dog™ Architectural Series Dog wash tubs are functional, durable and absolutely beautiful. Choose from three options, the freestanding in line entry, left side entrance or right side entry. Each tub is finished with the most durable industrial coatings on the marketplace. Offering six attractive colors and coatings that withstand the wear and tear of daily use. ADA friendly.

Great for indoor and outdoor use!


Ideal for Apartments, Condos, Hotels, Animal Clinics, Doggie Daycares and more



COOL DOG™
WASH TUBS.COM

CONTACT US
sales@gymsfordogs.com
www.CoolDogWashTubs.com

COLOR OPTIONS



PLUMBING OPTIONS

REAR
ENTRANCE,
IN-LINE
& FREE
STANDING



RIGHT SIDE
PLUMBING




LEFT SIDE
PLUMBING



ARCHITECTURAL SERIES




REAR ENTRANCE, IN-LINE & FREE-STANDING PLUMBING
DL-DWTF5-ARC



ARCHITECTURAL SERIES

RIGHT SIDE PLUMBING



DL-RSP-ARC



ARCHITECTURAL SERIES

LEFT SIDE PLUMBING

DL-LSP-ARC



COOL DOG SAFETY STEPS

DL-DWT-SSU-ARC



- Extremely Durable
- Allows for easy and safe entry into Cool Dog Wash Tub or Grooming Platform
- Skid-Proof
- Dimensions: 28.5" Wide x 23" Deep x 14" High
- Able to hold 300 lbs
- 5-Year Full Warranty




HAIR CATCHING DRAIN

TUB DRAIN ASSEMBLY

- Dog Wash Tub Strainer and Stopper with Deep Removable Waste Basket with Drain Assembly
- 3-1/2-inch Drain Opening Size
- Black Color
- Premium-grade 304 Stainless Steel, protected against rust and corrosion
- 1 1/2" connection point to drain line needed (drain line to be supplied by plumber)



WASHTUB VALVE



- R10000-UN (Universal Inlets/Outlets)
- R10000-UNBX (Universal Single Box Model)
- R10000-UNBXT (Thin Wall)

DOG WASH VALVE


- Maintains a balanced pressure of hot and cold water even when a valve is turned on or off elsewhere in the system
- For use with MultiChoice® Universal rough valve body (R10000 Series); not included
- Back-to-back installation capability
- Temperature only controlled with handle rotating a maximum of 120° from full cold to the full hot
- Cartridge utilizes integral check valve to prevent the cross flow of water within the valve
- Shower head maximum flow rate 1.5 gpm @ 80 psi 5.7 L/min @ 550 kPa
- Easy-turn 3-spray setting shower head
- Slip-on tub spout

WARRANTY


- Lifetime limited warranty on parts (other than electronic parts and batteries) and finishes: or, for commercial user, for 5 years from the date of purchase.
- 5 year limited warranty on electronic parts (other than batteries); or for commercial users, for 1 year from the date of purchase. No warranty is provided on batteries.

COMPLIES WITH


- ASME A112.18.1 / CSA B125.1



VALVE CONTROLLER LEVER



- Valve Only (PTT14019▲)



DOG WASH VALVE CONTROLLER LEVER

- Maintains a balanced pressure of hot and cold water even when a valve is turned on or off elsewhere in the system
- For use with MultiChoice® Universal rough valve body (R10000 Series); not included
- Back-to-back installation capability
- Temperature only controlled with handle rotating a maximum of 120° from full cold to the full hot
- Cartridge utilizes integral check valve to prevent the cross flow of water within the valve
- Shower head maximum flow rate 1.5 gpm @ 80 psi 5.7 L/min @ 550 kPa
- Easy-turn 3-spray setting shower head
- Slip-on tub spout


WARRANTY

- Lifetime limited warranty on parts (other than electronic parts and batteries) and finishes: or, for commercial user, for 5 years from the date of purchase.
- 5 year limited warranty on electronic parts (other than batteries); or for commercial users, for 1 year from the date of purchase. No warranty is provided on batteries.

HOSE KIT AND SPRAYER FAUCET

DOG WASH HANDHELD SHOWER HEAD WITH HOSE

- Easy to Install, Tools Free Installation
- Built-in High Pressure Wash to Clean Tub and Pets
- Extra Long 6'5. Stainless Steel Hose, Round Head
- Premium Matte Black Premium ABS, Stainless Steel
- Premium Matte Black Finish
- Advanced 8-speed 5-zone power head
- 4.5-inch large face provides a large amount of coverage and more uniform spraying.
- With a unique internal structure and air intake technology, the high-pressure shower head can provide a powerful water flow even under low water flow and low pressure.
- Lightweight, durable, rust-proof, and fade-proof



COOL DOG™ DOGGIE TILES

DL-DWCDT-TLE

Sold Separately

10" x 10" x 3/8" Nominal Size

12 faces (assorted)

10.764 SF per carton

Sold per carton

APPLICATIONS

Floor & Wall

Interior & Exterior

Sold in boxes of 12 tiles

Dimensions: 10" x 10" x 3/8" per tile, 10.764 SF per box

